

Doctoral Thesis:

Robert Andrew Dunn, **MEASUREMENT OF SIGMA X BR (W \square TAU + NEUTRINO + JETS) VIA PRECISION TRACKING IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
FERMILAB-THESIS-1995-73-fiche (1995) 142p.

Independent Work:

Andrew Dunn, **ELECTRICAL ENERGY FROM NUCLEAR WASTE.**
International Science and Engineering Fair (1983).

Top Quark Discovery:

F. Abe et al., **EVIDENCE FOR TOP QUARK PRODUCTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.73:225-231,1994.

F. Abe et al., **EVIDENCE FOR TOP QUARK PRODUCTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D50:2966-3026,1994.

F. Abe et al., **OBSERVATION OF TOP QUARK PRODUCTION IN ANTI-P P COLLISIONS.**
Phys.Rev.Lett.74:2626-2631,1995.

Superconducting Super-Collider:

Y. Arai et al., **A MODULAR STRAW DRIFT TUBE TRACKING SYSTEM FOR THE SOLENOIDAL DETECTOR COLLABORATION EXPERIMENT. 1: DESIGN.**
Nucl.Instrum.Meth.A381:355-371,1996.

Y. Arai et al., **A MODULAR STRAW DRIFT TUBE TRACKING SYSTEM FOR THE SOLENOIDAL DETECTOR COLLABORATION EXPERIMENT. 2: PERFORMANCE.**
Nucl.Instrum.Meth.A381:372-384,1996.

J. Chapman, A. Dunn, J. Mann, C. Miao, S. Vejcik, **A SDC TRACKING TRIGGER BASED ON STRAW TUBES.** SDC-93-495 (Apr 1993) 34p. Fermilab Library Only.

A.T. Goshaw et al., **CONCEPTUAL DESIGN REPORT FOR THE STRAW FIBER TRACKING SYSTEM FOR SDC.**

SDC-91-128 (Nov 1991) 118p. Fermilab Library Only.

J. Drinkard et al., **CONCEPTUAL DESIGN OF THE FIRST LEVEL TRIGGER FOR THE SDC EXPERIMENT.**

Nucl.Instrum.Meth.A360:352-355,1995.

W. Badgett et al., **PERFORMANCE OF A FAST, HIGHLY SEGMENTED ELECTROMAGNETIC CALORIMETER.**

Nucl.Instrum.Meth.A307:231-239,1991.

Silicon Vertex Detector at CDF:

P.F. Derwent et al., **EXPERIENCE WITH RADIATION PROTECTION FOR A SILICON VERTEX DETECTOR AT A HADRONIC COLLIDER.**

In *Washington 1993, Particle accelerator, vol. 3* 2199-2201.

D. Amidei et al., **ELECTRICAL PERFORMANCE OF THE CDF SILICON VERTEX DETECTOR.**

Nucl.Instrum.Meth.A342:251-259,1994.

D. Amidei et al., **THE SILICON VERTEX DETECTOR OF THE COLLIDER DETECTOR AT FERMILAB.**

Nucl.Instrum.Meth.A350:73-130,1994.

S. Tkaczyk et al., **THE CDF SILICON VERTEX DETECTOR.**

Nucl.Instrum.Meth.A342:240-250,1994.

Franco Bedeschi et al., **OPERATION OF THE CDF SILICON VERTEX DETECTOR WITH COLLIDING BEAMS AT FERMILAB.**

Dallas HEP 1992:1908-1916 (QCD161:H51:1992)

As Member of CDF Collaboration

- F. Abe et al., **MEASUREMENT OF THE ASSOCIATED GAMMA + MUON + PRODUCTION CROSS-SECTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D60:092003,1999.
- F. Abe et al., **KINEMATIC EVIDENCE FOR TOP QUARK PAIR PRODUCTION IN W + MULTI - JET EVENTS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D51:4623-4637,1995.
- F. Abe et al., **THE JET PSEUDORAPIDITY DISTRIBUTION IN DIRECT PHOTON EVENTS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D57:1359-1365,1998.
- F. Abe et al., **THE COLLIDER DETECTOR AT FERMILAB: COLLECTED PHYSICS PAPERS.**
FERMILAB-PUB-96-400-E (1996) 161p.
Reprints from Physical Review Letters and Physical Review D, Oct. 1995 - Sept. 1996, published for the CDF Collaboration by the American Physical Society.
- F. Abe et al., **MEASUREMENT OF THE B_0 ANTI- B_0 OSCILLATION FREQUENCY IN P ANTI-P COLLISIONS USING $\pi^+ B$ MESON CHARGE FLAVOR CORRELATIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.80:2057-2062,1998.
- F. Abe et al., **SEARCH FOR FLAVOR CHANGING NEUTRAL CURRENT DECAYS OF THE TOP QUARK IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.80:2525-2530,1998.
- F. Abe et al., **PROPERTIES OF JETS IN W BOSON EVENTS FROM 1.8-TEV
A N T I - P P C O L**
Phys.Rev.Lett.79:4760-4765,1997.
- F. Abe et al., **MEASUREMENT OF THE DIFFERENTIAL CROSS-SECTION FOR EVENTS WITH LARGE TOTAL TRANSVERSE ENERGY IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.80:3461-3466,1998.
- F. Abe et al., **DIJET PRODUCTION BY COLOR – SINGLET EXCHANGE AT THE FERMILAB TEVATRON.**
Phys.Rev.Lett.80:1156-1161,1998.

- F. Abe et al., **SEARCH FOR FIRST GENERATION LEPTOQUARK PAIR PRODUCTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:4327-4332,1997.
- F. Abe et al., **SEARCH FOR NEW PARTICLES DECAYING INTO B ANTI-B PRODUCED IN ASSOCIATION WITH W BOSONS DECAYING INTO E NEUTRINO OR MU NEUTRINO AT THE TEVATRON.**
Phys.Rev.Lett.79:3819-3824,1997.
- F. Abe et al., **LIMITS ON QUARK - LEPTON COMPOSITENESS SCALES FROM DILEPTONS PRODUCED IN 1.8-TEV P ANTI-P COLLISIONS.**
Phys.Rev.Lett.79:2198-2203,1997.
- F. Abe et al., **SEARCH FOR NEW GAUGE BOSONS DECAYING INTO DILEPTONS IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:2192-2197,1997.
- F. Abe et al., **PROPERTIES OF PHOTON PLUS TWO JET EVENTS IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D57:67-77,1998.
- F. Abe et al., **PROPERTIES OF SIX JET EVENTS WITH LARGE SIX JET MASS AT THE FERMILAB PROTON - ANTI-PROTON COLLIDER.**
Phys.Rev.D56:2532-2543,1997.
- F. Abe et al., **DOUBLE PARTON SCATTERING IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D56:3811-3832,1997.
- F. Abe et al., **THE MU TAU AND E TAU DECAYS OF TOP QUARK PAIRS PRODUCED IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:3585-3590,1997.
- F. Abe et al., **MEASUREMENT OF DOUBLE PARTON SCATTERING IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:584-589,1997.
- F. Abe et al., **SEARCH FOR CHARGED HIGGS DECAYS OF THE TOP QUARK USING HADRONIC DECAYS OF THE TAU LEPTON.**
Phys.Rev.Lett.79:357-362,1997.
- F. Abe et al., **FIRST OBSERVATION OF THE ALL HADRONIC DECAY OF T ANTI-T PAIRS.**
Phys.Rev.Lett.79:1992-1997,1997.

- F. Abe et al., **MEASUREMENT OF DIFFRACTIVE DIJET PRODUCTION AT THE TEVATRON.**
Phys.Rev.Lett.79:2636-2641,1997.
- F. Abe et al., **PRODUCTION OF J / PSI MESONS FROM CHI(C) MESON DECAYS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:578-583,1997.
- F. Abe et al., **SEARCH FOR GLUINOS AND SQUARKS AT THE FERMILAB TEVATRON COLLIDER.**
Phys.Rev.D56:1357-1362,1997.
- F. Abe et al., **J / PSI AND PSI (2S) PRODUCTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.79:572-577,1997.
- F. Abe et al., **OBSERVATION OF DIFFRACTIVE W BOSON PRODUCTION AT THE TEVATRON.**
Phys.Rev.Lett.78:2698-2703,1997.
- F. Abe et al., **SEARCH FOR NEW PARTICLES DECAYING TO DIJETS AT CDF.**
Phys.Rev.D55:5263-5268,1997.
- F. Abe et al., **SEARCH FOR THIRD GENERATION LEPTOQUARKS IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.78:2906-2911,1997.
- F. Abe et al., **MEASUREMENT OF DIJET ANGULAR DISTRIBUTIONS AT CDF.**
Phys.Rev.Lett.77:5336-5341,1996., Erratum-ibid.78:4307, 1997.
- F. Abe et al., **OBSERVATION OF W+ W- PRODUCTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.78:4536-4540,1997.
- F. Abe et al., **MEASUREMENT OF THE BRANCHING FRACTION B (B(U)+ \rightarrow J / PSI PI+) AND SEARCH FOR B(C)+ \rightarrow J / PSI PI+.**
Phys.Rev.Lett.77:5176-5181,1996.
- F. Abe et al., **OBSERVATION OF LAMBDA(B)0 \rightarrow J / PSI LAMBDA AT THE FERMILAB PROTON - ANTI-PROTON COLLIDER.**
Phys.Rev.D55:1142-1152,1997.
- F. Abe et al., **MEASUREMENT OF B ANTI-B PRODUCTION CORRELATIONS, B0 ANTI-B0 MIXING, AND A LIMIT ON EPSILON(B) IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D55:2546-2558,1997.

- F. Abe et al., **MEASUREMENT OF THE GAMMA + D*+- CROSS-SECTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.77:5005-5010,1996.
- F. Abe et al., **RATIOS OF BOTTOM MESON BRANCHING FRACTIONS INVOLVING J / PSI MESONS AND DETERMINATION OF B QUARK FRAGMENTATION FRACTIONS.**
Phys.Rev.D54:6596-6609,1996.
- F. Abe et al., **FURTHER PROPERTIES OF HIGH MASS MULTI -JET EVENTS AT THE FERMILAB PROTON - ANTI-PROTON COLLIDER.**
Phys.Rev.D54:4221-4233,1996.
- F. Abe et al., **MEASUREMENT OF THE LIFETIME OF THE B(S)0 MESON USING THE EXCLUSIVE DECAY MODE B(S)0 \rightarrow J / PSI PHI.**
Phys.Rev.Lett.77:1945-1949,1996.
- F. Abe et al., **MEASUREMENT OF LAMBDA(B)0 LIFETIME USING LAMBDA(B)0 \rightarrow LAMBDA(C)+ LEPTON- ANTI-NEUTRINO.**
Phys.Rev.Lett.77:1439-1443,1996.
- F. Abe et al., **FORWARD - BACKWARD CHARGE ASYMMETRY OF ELECTRON PAIRS ABOVE THE Z0 POLE.**
Phys.Rev.Lett.77:2616-2621,1996.
- F. Abe et al., **PROPERTIES OF JETS IN Z BOSON EVENTS FROM 1.8-TEV ANTI-P P COLLISIONS.**
Phys.Rev.Lett.77:448-453,1996.
- F. Abe et al., **SEARCH FOR FLAVOR CHANGING NEUTRAL CURRENT B MESON DECAYS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.76:4675-4680,1996.
- F. Abe et al., **MEASUREMENT OF THE B- AND ANTI-B0 MESON LIFETIMES USING SEMILEPTONIC DECAYS.**
Phys.Rev.Lett.76:4462-4467,1996.
- F. Abe et al., **SEARCH FOR CHARGINO – NEUTRALINO PRODUCTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.76:4307-4311,1996.
- F. Abe et al., **INCLUSIVE JET CROSS-SECTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.77:438-443,1996.

- F. Abe et al., **SEARCH FOR THE RARE DECAY $W^{+-} \rightarrow \pi^{+-} + \text{GAMMA}$.**
Phys.Rev.Lett.76:2852-2857,1996.
- F. Abe et al., **SEARCH FOR CHARGED HIGGS DECAYS OF THE TOP QUARK USING HADRONIC TAU DECAYS.**
Phys.Rev.D54:735-742,1996.
- F. Abe et al., **SEARCH FOR GLUINO AND SQUARK CASCADE DECAYS AT THE FERMILAB TEVATRON COLLIDER.**
Phys.Rev.Lett.76:2006-2010,1996.
- F. Abe et al., **RECONSTRUCTION OF $B^0 \rightarrow J/\psi K(S)^0$ AND MEASUREMENT OF RATIOS OF BRANCHING RATIOS INVOLVING $B \rightarrow J/\psi K^*$.**
Phys.Rev.Lett.76:2015-2020,1996.
- F. Abe et al., **MEASUREMENT OF THE MASS OF THE $B(S)^0$ MESON.**
Phys.Rev.D53:3496-3505,1996.
- F. Abe et al., **MEASUREMENT OF SIGMA $B(W \rightarrow E \text{ NEUTRINO})$ AND SIGMA $B(Z^0 \rightarrow E^+ E^-)$ IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.76:3070-3075,1996.
- F. Abe et al., **MEASUREMENT OF CORRELATED MU - ANTI-B JET CROSS-SECTIONS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.D53:1051-1065,1996.
- F. Abe et al., **UPSILON PRODUCTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.75:4358,1995.
- F. Abe et al., **MEASUREMENT OF THE POLARIZATION IN THE DECAYS $B(D) \rightarrow J/\psi K^*0$ AND $B(S) \rightarrow J/\psi \text{ PHI}$.**
Phys.Rev.Lett.75:3068,1995.
- F. Abe et al., **STUDY OF T ANTI-T PRODUCTION P ANTI-P COLLISIONS USING TOTAL TRANSVERSE ENERGY.**
Phys.Rev.Lett.75:3997,1995.
- F. Abe et al., **A MEASUREMENT OF THE RATIO SIGMA X B (P ANTI-P $\rightarrow W \rightarrow E \text{ NEUTRINO}$) / SIGMA X B (P ANTI-P $\rightarrow Z^0 \rightarrow E E$) IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1800\text{-GEV}$.**
Phys.Rev.D52:2624-2655,1995.

- F. Abe et al., **IDENTIFICATION OF TOP QUARKS AT CDF USING KINEMATIC VARIABLES.**
Phys.Rev.D52:2605-2609,1995.
- F. Abe et al., **SEARCH FOR THE TOP QUARK DECAYING TO A CHARGED HIGGS BOSON IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.73:2667-2671,1994.
- F. Abe et al., **A SEARCH FOR SECOND GENERATION LEPTOQUARKS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.75:1012-1016,1995.
- F. Abe et al., **MEASUREMENT OF THE B MESON DIFFERENTIAL CROSS-SECTION, $d\sigma/dp(T)$, IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.75:1451-1455,1995.
- F. Abe et al., **PROPERTIES OF HIGH MASS MULTI – JET EVENTS AT THE FERMILAB PROTON - ANTI-PROTON COLLIDER.**
Phys.Rev.Lett.75:608-612,1995.
- F. Abe et al., **MEASUREMENT OF THE W BOSON MASS.**
Phys.Rev.Lett.75:11-16,1995.
- F. Abe et al., **MEASUREMENT OF THE W BOSON MASS.**
Phys.Rev.D52:4784-4827,1995.
- F. Abe et al., **LIMITS ON W W Z AND W W GAMMA COUPLINGS FROM W W AND W Z PRODUCTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.75:1017-1022,1995.
- F. Abe et al., **MEASUREMENT OF THE B MESON AND B QUARK CROSS-SECTIONS AT $S^{**}(1/2) = 1.8$ -TEV USING THE EXCLUSIVE DECAY $B_0 \rightarrow J/\psi K^*0$ (892).**
Phys.Rev.D50:4252,1994.
- F. Abe et al., **MEASUREMENT OF THE B(S) MESON LIFETIME.**
Phys.Rev.Lett.74:4988,1995.
- F. Abe et al., **SEARCH FOR NEW PARTICLES DECAYING TO DIJETS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.74:3538-3543,1995.
- F. Abe et al., **SEARCH FOR CHARGED BOSONS HEAVIER THAN THE W IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1800$ -GEV.**
Phys.Rev.Lett.74:2900-2904,1995.

- F. Abe et al., **LIMITS ON Z - PHOTON COUPLINGS FROM P - ANTI-P INTERACTIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.74:1941-1945,1995.
- F. Abe et al., **THE CHARGE ASYMMETRY IN W BOSON DECAYS PRODUCED IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.74:850-854,1995.
- F. Abe et al., **A DIRECT MEASUREMENT OF THE W BOSON WIDTH GAMMA (W).**
Phys.Rev.Lett.74:341-345,1995.
- F. Abe et al., **MEASUREMENT OF W - PHOTON COUPLINGS WITH CDF IN P - ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.74:1936-1940,1995.
- F. Abe et al., **MEASUREMENT OF W + GAMMA AND Z + GAMMA CROSS-SECTIONS IN THE ELECTRON AND MUON CHANNELS IN $S^{**}(1/2) = 1.8$ -TEV ANTI-P P COLLISIONS.**
FERMILAB-PUB-94-244-E (Aug 1994) 114p.
- F. Abe et al., **SEARCH FOR RADIATIVE DECAYS OF NEUTRALINOS IN PROTON - ANTI-PROTON COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.75:613-617,1995.
- F. Abe et al., **OBSERVATION OF RAPIDITY GAPS IN ANTI-P P COLLISIONS AT 1.8-TEV.**
Phys.Rev.Lett.74:855-859,1995.
- F. Abe et al., **A PRECISION MEASUREMENT OF THE PROMPT PHOTON CROSS-SECTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.73:2662-2666,1994., Erratum-ibid.74: 1891-1893,1995.
- F. Abe et al., **SEARCH FOR NEW GAUGE BOSONS DECAYING INTO DIELECTRONS IN ANTI-P P COLLISIONS AT $S^{**}(1/2) 1.8$ -TEV.**
Phys.Rev.D51:949-953,1995.
- F. Abe et al., **EVIDENCE FOR COLOR COHERENCE IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.D50:5562-5579,1994.
- F. Abe et al., **W BOSON + JET ANGULAR DISTRIBUTION IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8$ -TEV.**
Phys.Rev.Lett.73:2296-2300,1994.

- F. Abe et al., **MEASUREMENT OF THE RATIO $\sigma_B(W \rightarrow e \text{ NEUTRINO}) / \sigma_B(Z^0 \rightarrow e^+ e^-)$ IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.73:220-224,1994.
- F. Abe et al., **MEASUREMENT OF THE B^+ AND B^0 MESON LIFETIMES.**
Phys.Rev.Lett.72:3456-3460,1994.
- F. Abe et al., **A SEARCH FOR THE TOP QUARK DECAYING TO CHARGED HIGGS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.72:1977-1981,1994.
- F. Abe et al., **SEARCH FOR EXCITED QUARKS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.72:3004-3008,1994.
- F. Abe et al., **MEASUREMENT OF THE ANTI-PROTON PROTON TOTAL CROSS-SECTION AT $S^{**}(1/2) = 546\text{-GEV}$ AND 1800-GEV .**
Phys.Rev.D50:5550-5561,1994.
- F. Abe et al., **MEASUREMENT OF SMALL ANGLE ANTI-PROTON - PROTON ELASTIC SCATTERING AT $S^{**}(1/2) = 546\text{-GEV}$ AND 1800-GEV .**
Phys.Rev.D50:5518-5534,1994.
- F. Abe et al., **MEASUREMENT OF ANTI-P P SINGLE DIFFRACTION DISSOCIATION AT $S^{**}(1/2) = 546\text{-GEV}$ AND 1800-GEV .**
Phys.Rev.D50:5535-5549,1994.
- F. Abe et al., **TOP DILEPTON SEARCH AT CDF.**
FERMILAB-CONF-93-212-E (Aug 1993) 8p.
- F. Abe et al., **PROBING THE GLUON DISTRIBUTION WITH THE $SS - OS$ DIJET CROSS-SECTION RATIO.**
FERMILAB-CONF-93-203-E (Aug 1993) 14p.
- F. Abe et al., **MEASUREMENT OF INCLUSIVE JET CROSS-SECTIONS IN P ANTI-P COLLISIONS AT CDF.**
FERMILAB-CONF-93-204-E (Aug 1993) 10p.
- F. Abe et al., **SUSY SEARCH USING TRILEPTON EVENTS FROM P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
FERMILAB-CONF-93-213-E (Aug 1993) 15p.
- F. Abe et al., **MEASUREMENT OF THE B^+ AND B^0 LIFETIMES.**
FERMILAB-CONF-93-198-E (Aug 1993) 15p.

- F. Abe et al., **THE LEPTON CHARGE ASYMMETRY IN THE DECAY OF W BOSONS PRODUCED IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
FERMILAB-CONF-93-209-E (Aug 1993) 11p.
- F. Abe et al., **MEASUREMENT OF THE B MESON AND B QUARK CROSS-SECTIONS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$ USING THE EXCLUSIVE DECAYS $B^+ \rightarrow J/\psi K^+$ AND $B^0 \rightarrow J/\psi K^0$.**
FERMILAB-CONF-93-200-E (Aug 1993) 7p.
- F. Abe et al., **THE TWO JET DIFFERENTIAL CROSS-SECTION AT CDF.**
FERMILAB-CONF-93-201-E (Aug 1993) 8p.
- F. Abe et al., **SEARCH FOR EXCITED QUARKS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
FERMILAB-CONF-93-205-E (Aug 1993) 10p.
- F. Abe et al., **THE CROSS-SECTION FOR THE PRODUCTION OF B ANTI-B PAIRS IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
FERMILAB-CONF-93-199-E (Aug 1993) 13p.
- F. Abe et al., **A STUDY OF EVENTS WITH THE HIGHEST TOTAL TRANSVERSE ENERGY IN CDF.**
FERMILAB-CONF-93-208-E (Aug 1993) 12p.
- F. Abe et al., **DIRECT PHOTON RESULTS FROM CDF.**
FERMILAB-CONF-93-202-E (Aug 1993) 19p.
- F. Abe et al., **THE CENTER-OF-MASS ANGULAR DISTRIBUTION OF PROMPT PHOTONS PRODUCED IN P ANTI-P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
FERMILAB-CONF-93-206-E (Aug 1993) 10p.
- F. Abe et al., **A SEARCH FOR NEW GAUGE BOSONS IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$ IN THE DIELECTRON DECAY MODE.**
FERMILAB-CONF-93-211-E (Aug 1993) 8p.
- F. Abe et al., **INCLUSIVE $\chi(C)$ AND B QUARK PRODUCTION IN ANTI-P P COLLISIONS AT $S^{**}(1/2) = 1.8\text{-TEV}$.**
Phys.Rev.Lett.71:2537-2541,1993.
- F. Abe et al., **SEARCH FOR QUARK COMPOSITENESS, AXIGLUONS AND HEAVY PARTICLES USING THE DIJET INVARIANT MASS SPECTRUM OBSERVED IN P ANTI-P COLLISIONS.**
Phys.Rev.Lett.71:2542-2546,1993.

- F. Abe et al., **MEASUREMENT OF THE AVERAGE LIFETIME OF B HADRONS PRODUCED IN P ANTI-P COLLISIONS AT $\sqrt{s} = 1.8$ -TEV.**
Phys.Rev.Lett.71:3421-3426,1993.
- F. Abe et al., **MEASUREMENT OF BOTTOM QUARK PRODUCTION IN 1.8-TEV P ANTI-P COLLISIONS USING SEMILEPTONIC DECAY MUONS.**
Phys.Rev.Lett.71:2396-2400,1993.
- F. Abe et al., **MEASUREMENT OF DRELL-YAN ELECTRON AND MUON PAIR DIFFERENTIAL CROSS-SECTIONS IN ANTI-P P COLLISIONS AT $\sqrt{s} = 1.8$ -TEV.**
Phys.Rev.D49:1-6,1994.
- F. Abe et al., **OBSERVATION OF THE DECAY $B(S)0 \rightarrow J / \Psi \text{ PH I}$ IN ANTI-P P COLLISIONS AT $\sqrt{s} = 1.8$ -TEV.**
Phys.Rev.Lett.71:1685-1689,1993.
- F. Abe et al., **MEASUREMENT OF JET MULTIPLICITY IN W EVENTS PRODUCED IN P ANTI-P COLLISIONS AT $\sqrt{s} = 1.8$ -TEV.**
Phys.Rev.Lett.70:4042-4046,1993.